

Has this referral ever been discharged from a Residential Treatment Center due to dangerous behaviors or treatment noncompliance?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If yes to the question above please describe where and the circumstances around the discharge	

Medical/Psychiatric

List current Psychiatric Diagnosis	

List Current Medical Conditions/Diagnosis	

Are there restrictions on the referrals level of physical activity?	<input type="checkbox"/> Yes <input type="checkbox"/> No
--	--

If yes to the question above please describe restrictions and how they are currently managed	

Current Medications

Medication	Dosage

Allergies

Allergen	Reaction

Substance Abuse No known substance abuse history

Alcohol: <input type="checkbox"/> Yes <input type="checkbox"/> No	Speed/Amphetamine: <input type="checkbox"/> Yes <input type="checkbox"/> No	Phencyclidine: <input type="checkbox"/> Yes <input type="checkbox"/> No
Marijuana: <input type="checkbox"/> Yes <input type="checkbox"/> No	Club Drugs: <input type="checkbox"/> Yes <input type="checkbox"/> No	Hallucinogens <input type="checkbox"/> Yes <input type="checkbox"/> No
Cocaine: <input type="checkbox"/> Yes <input type="checkbox"/> No	Opioids: <input type="checkbox"/> Yes <input type="checkbox"/> No	Inhalants <input type="checkbox"/> Yes <input type="checkbox"/> No
Other: _____	LSD: <input type="checkbox"/> Yes <input type="checkbox"/> No	Sedative/Hypnotics <input type="checkbox"/> Yes <input type="checkbox"/> No

Initial Discharge Plan

How many months are you expecting this referral to require this level of care?	1 2 3 4 5 6 7 8 9 10 11 12+
---	--

Where is the likely discharge residence for this referral?	
--	--

Describe barriers to discharge planning outside the presentation of the patient	

Please list any special requests or considerations the admissions team needs to be aware of in considering this referral

Presenting Behaviors			
Aggression			
<input type="checkbox"/> No physical aggression			
The referral's aggression takes the form of	<input type="checkbox"/> Hitting <input type="checkbox"/> Kicking <input type="checkbox"/> Unprovoked Violence <input type="checkbox"/> Biting <input type="checkbox"/> Spitting <input type="checkbox"/> Inciting group violence	<input type="checkbox"/> Violence towards adults <input type="checkbox"/> Violence towards peers <input type="checkbox"/> Threats <input type="checkbox"/> Instigation/Bullying <input type="checkbox"/> Homicidal <input type="checkbox"/> Posturing	<input type="checkbox"/> Weapon Making/Using <input type="checkbox"/> Premeditated Violence <input type="checkbox"/> Fire Setting <input type="checkbox"/> Animal Cruelty <input type="checkbox"/> Throwing items <input type="checkbox"/> Rage
At its worse the referral's aggression has looked like			
How often does referral present with physically aggressive behaviors?		<input type="checkbox"/> Multiple times a day <input type="checkbox"/> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> Monthly	
Has aggression required physical restraint?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
If yes when was the last physical restraint?			
If yes how often is physical restraint required to maintain safety?		<input type="checkbox"/> Multiple times a day <input type="checkbox"/> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> Monthly	
Has anyone ever been injured due to physical violence?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Has 1 to 1 supervision been required to manage aggression?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Has PRN medication or medical restraint been required to manage aggression?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Has hospitalization from an RTC or JDC been required to manage aggression?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Suicidality/Self-Harm			
<input type="checkbox"/> No self-harm/suicidality			
The referrals self-harm or suicidality takes the form of	<input type="checkbox"/> Suicidal Ideation <input type="checkbox"/> Suicide Planning <input type="checkbox"/> Suicide Attempts <input type="checkbox"/> Overdose <input type="checkbox"/> Burning <input type="checkbox"/> Sharps seeking	<input type="checkbox"/> Cutting <input type="checkbox"/> Skin Picking <input type="checkbox"/> Hair pulling <input type="checkbox"/> Ingestion of inedible items <input type="checkbox"/> Med cheeking <input type="checkbox"/> Hitting self	<input type="checkbox"/> Binging <input type="checkbox"/> Purging <input type="checkbox"/> Restricting <input type="checkbox"/> Threats to harm self <input type="checkbox"/> Threats to kill self <input type="checkbox"/> Strangulation
At its worse the referral's self-harm or suicidality has looked like			
How often does referral engage in self-harm or suicidal behaviors?		<input type="checkbox"/> Multiple times a day <input type="checkbox"/> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> Monthly	
Has this behavior required physical restraint?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
If yes when was the last physical restraint?			
If yes how often is physical restraint required to maintain safety?		<input type="checkbox"/> Multiple a day <input type="checkbox"/> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> Monthly	
Has the referral ever been seriously injured due to self-harm/suicidality?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Has 1 to 1 supervision been required to manage self-harm/suicidality?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Has PRN meds or medical restraint been required to manage this behavior?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Has hospitalization from RTC or JDC been required to manage this behavior?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Sexual Aggression			
<input type="checkbox"/> No sexual aggression			
The referrals sexual acting out takes the form of	<input type="checkbox"/> Sexual comments <input type="checkbox"/> Sexual gestures <input type="checkbox"/> Public masturbation <input type="checkbox"/> Grooming younger/weaker peers <input type="checkbox"/> Sexual Note Passing <input type="checkbox"/> Brushing up on others intentionally <input type="checkbox"/> Sexual assault by threat of violence <input type="checkbox"/> Paying for sexual acts	<input type="checkbox"/> Sexual threats <input type="checkbox"/> Rape <input type="checkbox"/> Sodimization <input type="checkbox"/> Digital penetration/oral sex <input type="checkbox"/> Sexual aggression towards adults <input type="checkbox"/> Sexual aggression to younger peers <input type="checkbox"/> Excessive masturbation <input type="checkbox"/> Use of phone sex lines	<input type="checkbox"/> Sexual aggression to family <input type="checkbox"/> Sexual aggression to peers <input type="checkbox"/> Sexual aggression to strangers <input type="checkbox"/> Sexual violence fantasies <input type="checkbox"/> Excessive pornography use <input type="checkbox"/> Pornography use on public computers <input type="checkbox"/> Sexually aggressive pornography use <input type="checkbox"/> Stalking
At its worse the referral's sexual aggression has looked like			
How often does referral engage in sexually aggressive behaviors?		<input type="checkbox"/> Multiple times a day <input type="checkbox"/> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> Monthly	
Has this referral ever had a psychosexual risk assessment?		<input type="checkbox"/> Yes <input type="checkbox"/> No	
If yes what was the level of risk indicated in the psychosexual		<input type="checkbox"/> Mild <input type="checkbox"/> Moderate <input type="checkbox"/> High	

If yes what setting does the psychosexual indicate that level of risk is in	<input type="checkbox"/> If staying in the community <input type="checkbox"/> If in a secure treatment setting
Has referral engaged in sexual aggression in a RTC, JDC or Inpatient setting?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does referral require a single room due to risk of sexual acting out?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Is referral permitted to be around younger peers	<input type="checkbox"/> Yes <input type="checkbox"/> No

Other High Risk Behaviors			
<input type="checkbox"/> No Psychosis <input type="checkbox"/> No Sexual Reactivity/Risk Taking <input type="checkbox"/> No AWOL/OOA			
The referrals behaviors takes the form of	Psychosis <input type="checkbox"/> Audio Hallucinations <input type="checkbox"/> Visual Hallucinations <input type="checkbox"/> Command Hallucinations <input type="checkbox"/> Delusional Thinking <input type="checkbox"/> Flashbacks/Nightmares <input type="checkbox"/> Dissociation <input type="checkbox"/> Paranoia <input type="checkbox"/> Disorganized thinking	Sexual Reactivity/Risk Taking <input type="checkbox"/> Boundary Issues <input type="checkbox"/> Sexual Comments or Gestures <input type="checkbox"/> Sexual Preoccupation <input type="checkbox"/> Multiple sexual partners <input type="checkbox"/> Having sex with older partners <input type="checkbox"/> Sex while AWOL or Intoxicated <input type="checkbox"/> Sexting/Use of Social Media for Sex <input type="checkbox"/> Sexual Trafficking	AWOL/Out of Area <input type="checkbox"/> Leaves home without permission <input type="checkbox"/> Leaves school without permission <input type="checkbox"/> AWOL from previous placements <input type="checkbox"/> AWOL plotting with peers <input type="checkbox"/> AWOL with intent of substance abuse <input type="checkbox"/> AWOL with intent of sexual behaviors <input type="checkbox"/> AWOL as an escape when dysregulated <input type="checkbox"/> Premeditated AWOL or OOA
	At its worse the referral's behaviors have looked like		
How often does referral engage in AWOL or Out of Area		<input type="checkbox"/> Multiple times a day <input type="checkbox"/> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> Monthly	
How long do AWOL or Out of Area Incidents last for?		<input type="checkbox"/> Less than 1hr <input type="checkbox"/> 1hr-6hrs <input type="checkbox"/> 6hrs-24hrs <input type="checkbox"/> More than 24hrs	
What setting does sexual risk taking/reactivity present in?		<input type="checkbox"/> Community <input type="checkbox"/> School <input type="checkbox"/> Inpatient/JDC/RTC	
How often does referral engage in sexual risk taking/reactivity?		<input type="checkbox"/> Multiple times a day <input type="checkbox"/> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> Monthly	
What gender is sexual risk taking/reactivity geared towards		<input type="checkbox"/> Males <input type="checkbox"/> Females <input type="checkbox"/> Both Genders	
What frequency does referral present with psychotic symptoms?		<input type="checkbox"/> Multiple times a day <input type="checkbox"/> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> Monthly	
How incapacitating are psychotic symptoms for the patient when present?		<input type="checkbox"/> Unable to complete ADL's <input type="checkbox"/> Able to complete ADL's with assistance <input type="checkbox"/> Not incapacitating to ADL's	

Other Concerns (Circle All That Apply)				
Property Destruction	Unmotivated for Treatment	Manipulating	Social Isolation	Poor Hygiene
Lying	Stealing	Tantrums	Truancy	Poor Social Skills
Reactive Attachments	Oppositional	Deceitfulness	Bullying Others	Social Isolation
Gang Involvement	Disruptive	Attention Seeking	Bullied by Others	Other _____
Depression	Anxiety	Attention Seeking	Avoidant	Fearful
Inattention	Hyperactive	Explosive Reactions	Mood Swings	Self-Sabotage
Mania	Obsessive Compulsive	Somatic Symptoms	Frustrates Easily	
Poor Self Esteem	Weight Loss	Weight Gain	Sleep Issues	

Legal					
Legal Charges					<input type="checkbox"/> No
Charge		Date		Conviction	Yes No
Charge		Date		Conviction	Yes No
Charge		Date		Conviction	Yes No
Charge		Date		Conviction	Yes No
Charge		Date		Conviction	Yes No
Describe the charges not already described in this application					

Trauma	
Has this young person ever been physically abused?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If so please describe	
Has this young person ever been The victim of neglect?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If so please describe	
Has this young person ever been sexually abused?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If so please describe	

Are there other traumas that we should be aware of?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If so please describe	
Has all abuse neglect been reported to CPS?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Has DSS/CPS ever been involved with this referral and the family?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If so please describe	
Is DSS/CPS Currently involved with the family?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If so please describe	

Attach this application to, educational, behavioral and medical records sent for review. Send to chase.butala@uhsinc.com , Olivia.corbin@uhsinc.com or fax to 703-777-1038